

0061-5260-02

ULTRA BOSS®

POUR-ON INSECTICIDE FOR CATTLE, SHEEP, GOATS AND HORSES



Take Control of Flies and Lice

Season-Long Lice Control[†] with One Application

 Squeeze 'N' Measure™ Bottle

 May be used with Automatic Dosing System

ACTIVE INGREDIENTS

Permethrin: 3-(phenoxyphenyl)methyl (±)-cis, trans-3-(2,2-dichloroethenyl)-2, 2-dimethylcyclopropane-carboxylate*5.00%

Piperonyl Butoxide Technical**5.00%

INERT INGREDIENTS***90.00%

TOTAL100.00%

*cis/trans ratio Min 35% (±) cis and Max 65% (±) trans

**Equivalent to 4.5% (butylcarbityl) (6-propylpiperonyl) ether and 0.5% related compounds

***contains petroleum distillates

Keep Out of Reach of Children

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 773-84

EPA Est. No. 6175-LA-01

U.S. Patent No. 5,750,514

22969935 Rev. 6/06

Net Contents:
One U.S. Quart (0.946 L)

 Schering-Plough Animal Health

Treats 57

550 lb

Cattle

PACKAGING COMPONENT APPROVAL

SUBMISSION #

2

EXAMINE BLACK & WHITE COPY AND ACCOMPANYING COLOR BREAK.

	APPROVED	NOT APPROVED	DATE
DESIGNER _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
COPY EDITOR _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRADEMARKS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PATENTS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PACKAGING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SPECIFICATIONS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MARKETING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
REGULATORY _____	<input type="checkbox"/>	<input type="checkbox"/>	_____

ART DUE DATE _____

INV. LOCATION: _____

SOA:

APPROVAL VERIFIED: _____

DATE: _____

PANTONE COLORS	
PROCESS CYAN	
PROCESS MAGENTA	
PROCESS YELLOW	
PROCESS BLACK	
PMS 142	

 SCHERING-PLOUGH CORPORATION

PACKAGING ARTWORK PRE-PRESS INFO

DATE: 6/7/06

DESIGNER: AF

PRODUCT/COMPONENT: ULTRA BOSS LABEL

QUANTITY/STRENGTH: Quart / 5%

RIC NUMBER: 22969935

DIMENSIONS: 4" x 5"

AFFECTED RIC: 22969927

OUTPUT RESOLUTION 100%

LTS#: 41149

BARCODE TYPE (NDC): N/A

BARCODE SIZE/X DIMENSION

HUMAN READABLE REQUIRED: YES NO

FULL NUMBER (SYS. CHARACTER + NDC): 3-

NOTE: For GTIN - Package Level Indicator set at 0 (zero).

FOR CARTONS: INTERLEAVED 2 OF 5 (RIC NUMBER) BAR CODE NEEDED ON TUCK FLAPS OR GLUE ENDS, AS PER APPROVED ART. FOR HUD BLISTER CELLS: ANSI GRADE B OR BETTER.

BAR CODES: Supplier responsible for supplying actual LIVE bar code represented by "FPO" with magnification factor based on process requirements in accordance with UCC standards. Minimum acceptance criteria is grade "C" based on ANSI X3.182 "Bar Code Print Quality Guideline."

INK DRAWDOWNS: (Light, Target & Dark Limits) Five sets must be provided to Schering-Plough Incoming Inspection for approval. Color Standards must be approved by Schering-Plough.

PROOFS: Must be provided to the Labeling Control Analyst for approval. Proofs must be approved by Schering-Plough prior to printing. The supplier is not allowed to make any changes without written approval by Schering-Plough.

ULTRA BOSS®

POUR-ON INSECTICIDE FOR CATTLE, SHEEP, GOATS AND HORSES

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE — No dilution necessary.

Apply To	Target Species	Dosage
Lactating and Non-Lactating Dairy Cattle, Beef Cattle, Calves, Horses (Not intended for human consumption)	Lice, Horn flies, Face flies Aids in control of Horse flies, Stable flies, Mosquitoes, Black flies, and Ticks	Apply 3 mL per 100 lbs body weight of animal up to a maximum of 30 mL for any one animal. Pour along back and down face. Back Rubber Use: Mix 100 mL per gallon of #2 diesel oil or mineral oil. Keep rubbing device charged. Results improved by daily forced use.
Lactating and Non-Lactating Dairy Goats		Apply 1.5 mL per 50 lbs body weight of animal up to a maximum of 18 mL for any one animal. Pour along back and down face.
Sheep	Sheep keds, Lice	Pour along back. Apply 1.5 mL per 50 lbs of body weight of animal up to a maximum of 18 mL for any one animal.

For cattle, horses, sheep and goats, repeat treatment as needed but not more than once every two weeks.
For horses, do not saddle horse for 6 hours after application and refrain from washing down area of application.
For optimum lice control, two treatments at 14-day intervals are recommended.
SPECIAL NOTE: Ultra Boss® Pour-On Insecticide is not effective against cattle grubs.
PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION — Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

If On Skin Or Clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. If Swallowed • Call poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. If In Eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician or poison control center for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

Note to Physician: Contains petroleum distillates-vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Keep container sealed when not in use. Do not store near food or feed.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

SCHERING-PLOUGH ANIMAL HEALTH CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORDANCE WITH THE STATEMENTS ON THIS LABEL.
† Season long lice control from January to April.

Schering-Plough Animal Health

Copyright © 1999, 2006, Schering-Plough Animal Health Corp., Summit, NJ 07901.
All rights reserved. 22969234 Rev. 6/06

4-4-2 UPC 80% FPO

0061526002

x

PACKAGING COMPONENT APPROVAL

SUBMISSION #

2

EXAMINE BLACK & WHITE COPY AND ACCOMPANYING COLOR BREAK.

	APPROVED	NOT APPROVED	DATE
DESIGNER _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
COPY EDITOR _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRADEMARKS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PATENTS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PACKAGING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SPECIFICATIONS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MARKETING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
REGULATORY _____	<input type="checkbox"/>	<input type="checkbox"/>	_____

ART DUE DATE: _____ INV. LOCATION: _____

SQA: _____

APPROVAL VERIFIED: _____ DATE: _____

PANTONE COLORS

PROCESS CYAN

PROCESS MAGENTA

PROCESS YELLOW

PROCESS BLACK

SCHERING-PLOUGH CORPORATION
PACKAGING ARTWORK PRE-PRESS INFO

DATE: 6/12/06

DESIGNER: AF

PRODUCT/COMPONENT: ULTRA BOSS LABEL

QUANTITY/STRENGTH: Quart / 5%

RIC NUMBER: 22969234

DIMENSIONS: 4" x 5"

AFFECTED RIC: 22969226

OUTPUT RESOLUTION 100%

LTS#: 41148

BARCODE TYPE (NDC): UPC

BAR CODES: Supplier responsible for supplying actual LIVE bar code represented by "FPO" with magnification factor based on process requirements in accordance with UCC standards. Minimum acceptance criteria is grade "C" based on ANSI X3.182 "Bar Code Print Quality Guideline."

BARCODE SIZE/X DIMENSION 80%

INK DRAWDOWNS: (Light, Target & Dark Limits) Five sets must be provided to Schering-Plough Incoming Inspection for approval. Color Standards must be approved by Schering-Plough.

HUMAN READABLE REQUIRED: YES X NO

PROOFS: Must be provided to the Labeling Control Analyst for approval. Proofs must be approved by Schering-Plough prior to printing. The supplier is not allowed to make any changes without written approval by Schering-Plough.

FULL NUMBER (SYS. CHARACTER + NDC):


3- 0061526002 x

NOTE: For GTIN - Package Level Indicator set at 0 (zero).

FOR CARTONS: INTERLEAVED 2 OF 5 (RIC NUMBER) BAR CODE NEEDED ON TUCK FLAPS OR GLUE ENDS, AS PER APPROVED ART.

FOR HUD BLISTER CELLS: ANSI GRADE B OR BETTER.

BASE



= BASE COPY IMAGE AREA:
1/8" CLEARANCE TOP & BOTTOM;
7/16" CLEARANCE LEFT & RIGHT

PANTONE COLORS	
CYAN	
MAGENTA	
YELLOW	
BLACK	

PACKAGING COMPONENT APPROVAL


SUBMISSION # **2**

EXAMINE BLACK & WHITE COPY AND ACCOMPANYING COLOR BREAK.

	APPROVED	NOT APPROVED	DATE
DESIGNER _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
COPY EDITOR _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRADEMARKS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PATENTS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MEDICAL _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PACKAGING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SPECIFICATIONS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MARKETING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
REGULATORY _____	<input type="checkbox"/>	<input type="checkbox"/>	_____

ART DUE DATE: _____ INV. LOCATION: _____

SQA:
APPROVAL VERIFIED: _____ DATE: _____

		SCHERING-PLOUGH CORPORATION	
PACKAGING ARTWORK PRE-PRESS INFO		AF	
DATE: _____	DESIGNER: _____	QUANTITY/STRENGTH: _____	4 oz / 5 %
PRODUCT/COMPONENT: _____	ULTRA BOSS ECL	DIMENSIONS: _____	Base: 2" x 2-1/4"
RIC NUMBER: _____	27922813	DIMENSIONS: _____	ECL: 7-1/4" x 2-1/4" (FLAT) 1-1/2" x 2-1/4" (FOLDED)
AFFECTED RIC: _____	27922805	OUTPUT RESOLUTION: _____	100%
LTS#: _____	41146	BARCODE TYPE (NDC): _____	N/A
BAR CODES: Supplier responsible for supplying actual LIVE bar code represented by "EPC" with magnification factor based on process requirements in accordance with UCC Standards. Minimum acceptance criteria is grade "C" based on ANSI X3.192 "Bar Code Print Quality Guideline."		BARCODE SIZE X DIMENSION _____	HUMAN READABLE REQUIRED: YES _____ NO _____
INK DRAWDOWNS: (Light, Target & Dark Limits) Five sets must be provided to Schering-Plough Incoming Inspection for approval. Color Standards must be approved by Schering-Plough.		FULL NUMBER (SYS. CHARACTER + NDC): _____	
PROOFS: Must be provided to the Labeling Control Analyst for approval. Proofs must be approved by Schering-Plough prior to printing. The supplier is not allowed to make any changes without written approval by Schering-Plough.		3- NOTE: For GTIN - Package Level Indicator set at 0 (zero). FOR CARTONS: INTERLEAVED 2 OF 5 (RIC NUMBER) BAR CODE NEEDED ON TUCK FLAPS OR GLUE ENDS, AS PER APPROVED ART. FOR HUD BLISTER CELLS: ANSI GRADE B OR BETTER.	

HOT LINE NUMBER

Have the product container or label with you when calling the poison control center or doctor or going for treatment. You may also contact the Rocky Mountain Poison Center at 1-303-595-4869 for emergency medical treatment information.

Note to Physician: Contains petroleum distillates—vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Keep container sealed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

†Season long lice control from January-April.

NOTICE OF WARRANTY

SCHERING-PLOUGH ANIMAL HEALTH CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY

PARTICULAR PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THIS PRODUCT UNDER NORMAL CONDITIONS AND IN ACCORDANCE WITH THE STATEMENTS ON THIS LABEL.

U.S. Patent No. 5,750,514

Copyright © 2004, 2006, Schering-Plough Animal Health Corp., Summit, NJ 07901. All rights reserved.

27922813 Rev. 6/06

0061-5260-03
ULTRA BOSS

**POUR-ON INSECTICIDE FOR CATTLE,
SHEEP, GOATS AND HORSES**

Take Control of Flies and Lice

ACTIVE INGREDIENTS

Permethrin: 3-(phenoxyphenyl)methyl (±)-cis,
trans-3-(2,2-dichloroethenyl)-2, 2-dimethyl-
cyclopropanecarboxylate*5.00%
Piperonyl Butoxide Technical**5.00%
INERT INGREDIENTS***90.00%
TOTAL100.00%

*cis/trans ratio Min 35% (±) cis and Max 65% (±) trans

**Equivalent to 4.5% (butylcarbityl) (6-propylpiperonyl)
ether and 0.5% related compounds

***contains petroleum distillates

Keep Out of Reach of Children

CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS
AND DIRECTIONS FOR USE INSIDE BOOKLET
EPA Reg. No. 773-84 EPA Est. No. 6175-LA-01

Net Contents:
4 fl oz (120 mL)



Schering-Plough
Animal Health

**Season-Long Lice Control[†]
with One Application**



**Squeeze 'N' Measure™
Bottle**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE — No dilution necessary.

Apply To	Target Species	Dosage
Lactating and Non-Lactating Dairy Cattle, Beef Cattle, Calves, Horses (Not intended for human consumption)	Lice, Horn flies, Face flies Aids in control of Horse flies, Stable flies, Mosquitoes, Black flies, and Ticks	Apply 3 mL per 100 lbs body weight of animal up to a maximum of 30 mL for any one animal.

Apply To	Target Species	Dosage
Lactating and Non-Lactating Dairy Cattle, Beef Cattle, Calves, Horses (Not intended for human consumption)	Lice, Horn flies, Face flies Aids in control of Horse flies, Stable flies, Mosquitoes, Black flies, and Ticks	Pour along back and down face. Back Rubber Use: Mix 100 mL per gallon of #2 diesel oil or mineral oil. Keep rubbing device charged. Results improved by forced daily use.
Lactating and Non-Lactating Dairy Goats		Apply 1.5 mL per 50 lbs body

Apply To	Target Species	Dosage
Lactating and Non-Lactating Dairy Goats		weight of animal up to a maximum of 18 mL for any one animal. Pour along back and down face.
Sheep	Sheep keds, Lice	Pour along back. Apply 1.5 mL per 50 lbs of body weight of animal up to a maximum of 18 mL for any one animal.

For cattle, horses, sheep and goats, repeat treatment as needed but not more than once every two weeks.

For horses, do not saddle horse for 6 hours after application and refrain from washing down area of application.

For optimum lice control, two treatments at 14-day intervals are recommended.

SPECIAL NOTE: ULTRA BOSS® Pour-On Insecticide is not effective against cattle grubs.

**PRECAUTIONARY STATEMENTS,
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION — Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

If On Skin Or Clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed • Call poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give **any** liquid to the person. • Do not give anything by mouth to an unconscious person. **If In Eyes** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a physician or poison control center for treatment advice.