

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse.

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. **This product is not for use on humans.** Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

FIRST AID	
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-322-8177 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

PHYSICAL/CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

EPA Reg. No.
61483-71

EPA Est. No.
6658-MO-1



Manufactured by:
KMG-Bernuth, Inc.
Houston, TX 77036-1534 USA
(800) 322-8177

KMG

Catron® IV

***A Screwworm
& Ear Tick
Spray that
controls
insect pests
on beef
cattle, dairy
cattle, sheep,
goats, hogs
and horses.***

NET
CONTENTS:
10 OZ.

42-326122000
00-0611

- For use on wounds to kill and repel flies and fly maggots.
- Controls ear ticks on livestock.
- Kills and repels flies on livestock.

Active Ingredient

Permethrin (CAS No. 52645-53-1) 0.50%

Other Ingredients 99.50%

Total 100.00%

Keep Out of Reach of Children

CAUTION

See side panel for additional precautionary statements



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

DIRECTIONS FOR USE ON LIVESTOCK

To kill and control screwworms, fleece worms (wool maggots) and other blow fly maggots in and around superficial wounds: Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots. Apply over discharge around wound to prevent reinestation. Treat at five to seven day intervals until wound is healed.

To protect wounds from flies: For castration, de-horning, docking, branding, wire and shear cut wounds, spray directly onto the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent fly infestations. Repeat at five to seven day intervals until wounds are healed. Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy.

To kill ear ticks: For spinose ear ticks: Spray downward directly into animal's ear. Retreat as necessary. For Gulf Coast ear ticks: Spray directly onto ticks on outer surface of animal's ear. Retreat as necessary.

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of stable flies, horse flies, deer flies, face flies, house flies, horn flies, mosquitoes and gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

To control blood sucking lice: Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control poultry lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Pesticide Disposal: Do not puncture or incinerate! Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Container Disposal: Place in trash or offer for recycling if available.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.