Opt-E-Horse Complete

Active Ingredients:
Dried Lactobacillus Acidophilus Fermentation Product, Enterococcus Faecium Fermentation Product, Dried Aspergillus Oryzae Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Dried Extracted Streptomyces Meal and Fermentation Solubles, Yeast Culture, Corn Distillers Dried Grains and Solubles, Zinc Methionine Complex, Copper Sulfate, Manganese Sulfate, Cobalt Carbonate, Sodium Selenite, Potassium Iodate, Choline Chloride, Biotin, Niacin, Thiamine Mononitrate, Pyridoxine Hydrochloride, Vitamin B_{12}, Riboflavin, d-Calcium Pantothenate, Vitamin A Acetate, D-Activated Animal Sterol (Source Vitamin E), Menadione Sodium Bisulfite Complex (Source of Vitamin K) and Soybean Oil.

Guaranteed Analysis:

Zinc, minimum	6,000 ppm
Copper, minimum	5,000 ppm
Manganese, minimum	7,000 ppm
Iodine, minimum	140 ppm
Cobalt, minimum	16 ppm
Selenium, minimum	35.2 ppm
Vitamin A, minimum	480,000 IU/lb.
Vitamin D, minimum	100,000 IU/lb.
Vitamin E, minimum	4,000 IU/lb.
Vitamin K, minimum	5.5 mg/lb.
Choline, minimum	4,420 mg/lb.
Riboflavin, minimum	40 mg/lb.
Thiamine, minimum	41 mg/lb.
Niacin, minimum	631 mg/lb.
Calcium Pantothenate, minimum	66 mg/lb.
Vitamin B_6, minimum	40 mg/lb.
Biotin, minimum	18 mg/lb.
Vitamin B_{12}, minimum	1.8 mg/lb.
Lactobacillus acidophilus, minimum	20 Billion CFU/lb.
Enterococcus faecium, minimum	20 Billion CFU/lb.

Dosage & Administration:
A handy feed scoop measure included in the container holds ¼ ounce of the supplement. Just sprinkle Opt-E-Horse Complete on the feed ration, preferably twice per day. We recommend a gradual introduction to the ration.

For Suckling Foals	feed ½ scoop twice daily per foal as soon as dry feed is consumed.
For Weaning Foals	feed ½ scoop twice daily.
For Yearlings and Maintenance of Horses	feed one scoop twice daily.
For Training, Racing, Showing and/or Lactating Horses	feed 2 scoops twice daily.
For Mares & stallions Before and During Breeding	feed 2 scoops twice daily.
For Draft Horses	feed 2 scoops twice daily.
For Ponies	use ½ of feeding rates for horses.
For Miniatures	use ¼ of the feeding rates for horses.