

# FARMPHENE

## CLEANER-DISINFECTANT

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**GENERAL PRECAUTIONS AND RESTRICTIONS:** Do not apply this product in a way that will contact other persons. Only protected handlers must be in the area during application. This product is not to be used as a terminal sterilant/ high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

This is an extremely effective cleaner and disinfectant, recommended for general hospital use on hard, nonporous surfaces such as floors walls, woodwork, and equipment in all departments.

**For disinfection:** Pre-clean surfaces before disinfection. Apply ½ oz to 1 gallon of water to hard non porous surfaces using cloth, sponge, or mop. Thoroughly wet surfaces for 10 minutes. Allow surfaces to air dry. Prepare a fresh solution daily or when it becomes visibly soiled. This product is effective in controlling Staphylococcus aureus, Pseudomonas aeruginosa, Salmonella enterica, Mycobacterium tuberculosis var. bovis (BCG)

**Fungicidal:** Kills Trichophyton metagrophytes (agent causes Athlete's Foot Fungus) in bathrooms, shower areas, and locker rooms. Follow Disinfection Directions.

**To Clean,** remove heavy soil and thoroughly pre-clean surfaces. Apply solution. Mop or wipe up. For heavy duty cleaning, first remove loose soil. Use 2 oz. per gallon of water, mop or wipe on; allow to soak several minutes, remove. For rapid cleaning, use 4 oz. per gallon of water in automatic scrubbing machines. Always rinse floors before applying polish or wax. For daily maintenance of waxed floors, damp mop with solution of 1-1/2 oz. per gallon of water to remove most soils. For use in hospitals, clinics, veterinary hospitals, rest homes, athletic departments, industrial plants-where a need exists to clean and disinfect thoroughly.

### DIRECTIONS FOR USE IN POULTRY HOUSE AND FARM PREMISE:

Do not use in milking stalls, milking parlors or milk houses.

1. Remove all poultry, animals and feed from the premises.
2. Remove all trucks, coops, crates, water troughs and feed racks.
3. Remove all gross soil, litter, manure, droppings from animals and poultry from floors, walls and surfaces of barns, pens, stalls, chutes, hatchers and other facilities and fixtures occupied or traversed by animals and poultry.
4. Empty all troughs, racks, and other feeding and watering appliances.
5. Thoroughly clean and saturate all surfaces with a solution of ½ oz. of product disinfectant per gallon (4 mL) of water. Use high-pressure sprayer or other suitable sprayer.
6. Allow disinfectant to remain in contact for at least ten minutes.
7. Immerse halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, scrapers used for removing litter and manure, in a solution of ½ oz. of product disinfectant per gallon (4mL) of water. Allow to remain in contact for ten minutes.
8. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and mangers with a solution of product disinfectant at ½ ounce per gallon of water. Rinse with potable water before reuse.
9. Ventilate buildings, coops and other closed spaces. Do not house poultry or livestock on employ equipment until treatment has been absorbed, set or dried.

Sold by:



Reno, NV 89511 • (800) 995-1607 • www.preserveinternational.com

### VIRUCIDAL\* • FUNGICIDAL TUBERCULOCIDAL • PSEUDOMONACIDAL

#### ACTIVE INGREDIENTS:

Ortho-Benzyl-Para-Chlorophenol.....	10.10%
Ortho-Phenylphenol.....	4.90%
Para-Tertiary-Amylphenol.....	2.50%
<b>INERT INGREDIENTS.....</b>	<b>82.50%</b>
<b>TOTAL:</b>	<b>100.00%</b>

## KEEP OUT OF REACH OF CHILDREN DANGER

### PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals

**DANGER Corrosive.** Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, or skin, or on clothing. Wear goggles, face shield, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR ON CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

The Emergency Response Telephone Number is 800-255-3924. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REG. NO. 39967-83-66171  
EPA EST. NO. 66171-TN-001

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. DO NOT STORE NEAR HEAT OR OPEN FLAME.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING: Plastic Drums and Totes** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over on to its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities. If not pressure rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

**Quart and Gallon Plastic Bottle and 5 Gallon Pail:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in sanitary landfill or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.

### ENVIRONMENTAL HAZARDS:

**ENVIRONMENTAL HAZARDS:** (Larger than 5 gallons) This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

### USER SAFETY RECOMMENDATIONS

Users must: - wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. - remove clothing immediately if pesticide gets inside. The wash thoroughly and put on clean clothing. - remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: - long-sleeved shirt and long pants - socks and shoes - goggles or face shield - chemical resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber or viton) Follow manufacturers' instructions for cleaning/ maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.