

## POULTRY NUTRI-DRENCH

### ADMINISTRATION

**DIRECTIONS:** Shake Well. Store in cool, dry place

#### **ADDING DIRECTLY TO DRINKING WATER:**

<i>Age of bird</i>	<i>Oz of product per gal of drinking water</i>
1-14 days	2 oz
2-4 weeks	1 oz
4-6 weeks	0.5 oz
>6 weeks	0-25 oz

(Prepare fresh stock solution daily)

#### **AUTOMATIC PROPORTIONER MIXING INSTRUCTIONS (4 oz per gal delivery)**

Set proportioner to deliver 4 oz. stock solution per gal of water

<i>Age of bird</i>	<i>Stock Solution</i>	<i>Ratio</i>
1-4 days	straight	1:32
5-14 days	2 qt/gal	1:64
2-4 weeks	1 qt/gal	1:128
4-6 weeks	1 pt/gal	1:256
>6 weeks	8 fl oz/gal	1:512

(Prepare fresh stock solution daily)

#### **AUTOMATIC PROPORTIONER MIXING INSTRUCTIONS (1 oz per gal delivery)**

Set proportioner to deliver 1 oz. stock solution per gal of water

<i>Age of bird</i>	<i>Stock Solution</i>	<i>Ratio</i>
1-4 days	1 gal straight	1:128
5-14 days	1 gal straight	1:128
2-4 weeks	1 gal straight	1:128
4-6 weeks	2 qt/gal	1:256
>6 weeks	2 pt/gal	1:512

(Prepare fresh stock solution daily)

Because the proportioner is set to 1 oz per gallon, we cannot get the concentration necessary for 1-14 days of age as compared to the label directions when a proportioner is set to deliver 4 oz per gal.

Phil Mitchell Research Recommends for all birds, regardless of age:

2 cc for five gallons, daily: 1/9463.5 proportion

**FOR RAPID RESULTS:** 1 ml (cc) per 3 lbs body weight directly in mouth.

www.bovidr.com  
Info 800-658-4016