RECOMMENDED USAGE: Chew Stop™ is formulated for application to wood fences and other surfaces to break horses of the wood-chewing habit. Required frequency of application will be dependent on the temperament of the horse, length of the habit, climatic conditions and the type of surface. Use Chew Stop™ to protect fences, corrals, stalls, mangers, gates, posts and trees: also to keep horses from biting and chewing blankets and bandages. Chew Stop™ has not been tested on vinvl fencing.

EASY TO APPLY SHAKE WELL BEFORE USING

Directions: Remove protective cap and apply Chew Stop[™] generously to all surfaces within reach of your horse. Spray from a distance of 4 to 6 inches. Remove animals from stalls during application. Chew Stop[™] may be applied to the bark of mature trees. It will not stain or discolor white wood fences. Repeat application to problem areas as necessary until your horse forgets his habit.

Coverage: One 12.5 oz. can will cover approximately 35 sq. ft. of unpainted surface and 53 sq. ft. of painted surface.

Note: When applying Chew Stop™ to blankets or bandages, do not apply to surfaces that may come in contact with the horse's skin. Chew Stop™, when in contact with the skin, may cause blistering under certain conditions. KEEP OUT OF REACH OF CHILDREN.

DANGER! EXTREMELY FLAMMABLE. Do not spray near heat, sparks or open flame. Vapors will accumulate readily and may ignite explosively. Keep area ventilated during use and until all vapors are gone. DO NOT SMOKE — Extinguish all flames, pilot lights and heaters — turn off stoves, electric tools and appliances, and any other sources of ignition. CONTENTS UNDER PRESSURE. Avoid prolonged exposure to sunlight or heat from radiators, stoves, hot water and other heat sources that may cause bursting. Do not puncture, incinerate, burn or store above 120°F. Do not discard empty can in home garbage compactor. In case of eye contact, flush thoroughly with large amounts of water for 15 minutes and get medical attention. Should skin contact occur, wash thoroughly with soap and water. In case of respiratory difficulty, provide fresh air and call physician.

VAPOR HARMFUL: Avoid repeated or prolonged contact with skin or breathing of vapor. Use only with adequate ventilation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

ACTIVE INGREDIENT: Aromatic Hydrocarbons and Cinnamaldehyde.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

FARNAM HORSE PRODUCTS A Division of Farnam Companies, Inc. P.O. Box 34820 Phoenix, Arizona 85067-4820 800-234-2269 www.farnamhorse.com

©2002, 2007 Farnam Companies, Inc. Product Code: 11503 RM# 300501209 Printed in USA 07-2176





CHEW STOP[™] AEROSOL STOPS CHEWING AND CRIBBING

CLEAR • NON-STAINING

STOPS HORSES FROM CHEWING WOOD, BLANKETS AND BANDAGES IN MOST CASES. USE ON FENCES, CORRALS, STALLS, GATES, TREES, BLANKETS AND BANDAGES. ABSOLUTELY WILL NOT STAIN WHITE WOOD FENCES. LARGE SIZE AVAILABLE FOR BIG JOBS.

DANGER!

EXTREMELY FLAMMABLE CONTENTS UNDER PRESSURE VAPOR HARMFUL

(See back panel for additional precautionary statements)

NET CONTENTS 12.5 oz. (354 g)



CHEW STOP[™]

STOPS CHEWING AND CRIBBING

CLEAR • NON-STAINING

STOPS HORSES FROM CHEWING WOOD, BLANKETS AND BANDAGES IN MOST CASES. USE ON FENCES, CORRALS, STALLS, GATES, TREES, BLANKETS AND BANDAGES. ABSOLUTELY WILL NOT STAIN WHITE WOOD FENCES.

Keep Out of Reach of Children DANGER!

EXTREMELY FLAMMABLE VAPOR HARMFUL

(See back panel for additional precautionary statements)

NET CONTENTS 64 Fl. Oz. (1.891)

Recommended Usage: Chew Stop[™] is formulated for application to wood fences and other surfaces to break horses of the wood-chewing habit. Required frequency of application will be dependent on the temperament of the horse, length of the habit, climatic conditions and the type of surface. Use Chew Stop[™] to protect fences, corrals, stalls, mangers, gates, posts and trees; also to keep horses from biting and chewing blankets and bandages. Chew Stop[™] has not been tested on vinyl fencing.

EASY TO APPLY AS SPRAY OR PAINT



SHAKE WELL BEFORE USING

Directions: Apply Chew Stop[™] generously to all surfaces within reach of your horse. Use a hand sprayer, power sprayer, paint brush or roller. When applying as a spray, remove animals from stalls during application. Chew Stop[™] may be applied to the bark of mature trees. It will not stain or discolor white wood fences. Repeat application to problem areas as necessary until your horse forgets his habit.

Coverage: One gallon will cover approximately 300 sq. ft. of unpainted surface and 400 to 500 sq. ft. of painted surface.

Note: When applying Chew Stop™ to blankets or bandages, do not apply to surfaces that may come in contact with the horse's skin. Chew Stop™, when in contact with the skin, may cause blistering under certain conditions. Keep Out of Reach of Children.

DANGER! EXTREMELY FLAMMABLE: Do not use or store near heat, sparks or open flame. Harmful if swallowed. Avoid repeated or prolonged contact with skin or breathing of vapor. Use only with adequate ventilation. Should skin contact occur, wash with plenty of soap and water. If solution gets in eyes, flood with water for 15 minutes. If swallowed, do not induce vomiting. Call a physician immediately. Contains mineral spirits.

VAPOR HARMFUL: Avoid repeated or prolonged contact with skin or breathing of vapor. Use only with adequate ventilation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

ACTIVE INGREDIENT: Cinnamaldehyde

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

FARNAM HORSE PRODUCTS

A Division of Farnam Companies, Inc. • P.O. Box 34820 • Phoenix, AZ 85067-4820

800-234-2269 • www.farnamhorse.com

©2002, 2007 Farnam Companies, Inc. Product Code: 11502 RM#:2009054 Printed in U.S.A. 07-2175



