FortiCool A UR 40600139 SM

Slow-Release Cool Cell Treatment | Prevents Buildup of Inanimate Organic Materials

INGREDIENTS

Alkyl (60% C ₁₄ , 30% C ₁₄ , 5% C ₁₈ , 5% C ₁₈) dimethyl benzyl ammonium chloride	.16.0%
Alkyl (68% Cl., 32% C., dimethyl ethyl benzyl ammonium chloride	
Other Ingredients	
J	100.0%

DANGER

KEEP OUT OF REACH OF CHILDREN







PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed, absorbed through the skin or inhaled. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wear protective eye gear (goggles or face shield), protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before drinking, eating, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. SEE SIDE PANEL FOR FIRST AID STATEMENTS.

FOR COMMERCIAL AND INDUSTRIAL USE

DIRECTIONS FOR USE

Remove from plastic bag, KEEP KNIT ENCLOSURE INTACT. In evaporative cooling system drain pans, hatchery roof-top air conditioner drip pans and other drains: Place on the surface of the pan away from the drain outflow, as close to the condensate source as possible. Do not allow product to block drain. For optimal performance, replace every 30 days.

Not for use in heat vaporizing or atomizing type vaporizer humidifiers.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently for 15–20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911, or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the container or label with you when calling or going for treatment. You may also contact 1.800.255.3924 for emergency treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage. Measures against circulatory shock. respiratory depression and convulsions may be needed.



Manufactured for:

Sterilex 111 Lake Front Drive Hunt Valley, MD 21030-2216

Call 1.800.511.1659 or 443.541.8800 for technical information. **NET CONTENTS: 6 OZ GROSS COUNT: 12** Rev. 06/25

placeholder for batch/ stock no. sticker



CALIFORNIA PROPOSITION 65 WARNING

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit: www.P65Warnings.ca.gov



Slow-Release Cool Cell Treatment | Prevents Buildup of Inanimate Organic Materials

INGREDIENTS

Alkyl (60% C ₁₄ , 30% C ₁₄ , 5% C ₁₈ , 5% C ₁₃) dimethyl benzyl ammonium chloride	16.0%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethyl benzyl ammonium chloride	16.0%
Other Ingredients	68.0%
TOTAL	

DANGER

KEEP OUT OF REACH OF CHILDREN







PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed, absorbed through the skin or inhaled. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wear protective eye gear (goggles or face shield), protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before drinking, eating, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. SEE SIDE PANEL FOR FIRST AID STATEMENTS.

FOR COMMERCIAL AND INDUSTRIAL USE

DIRECTIONS FOR USE

Remove from plastic bag, KEEP KNIT ENCLOSURE INTACT. In evaporative cooling system drain pans, hatchery roof-top air conditioner drip pans and other drains: Place on the surface of the pan away from the drain outflow, as close to the condensate source as possible. Do not allow product to block drain. For optimal performance, replace every 30 days.

Not for use in heat vaporizing or atomizing type vaporizer humidifiers.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently for 15–20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911, or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible, Call a poison control center or doctor for treatment advice. Have the container or label with you when calling or going for treatment. You may also contact 1.800.255.3924 for emergency treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage. Measures against circulatory shock. respiratory depression and convulsions may be needed.



Manufactured for:

Sterilex 111 Lake Front Drive Hunt Valley, MD 21030-2216

Call 1.800.511.1659 or 443.541.8800 for technical information. **NET CONTENTS: 13.2 LB GROSS COUNT: 24** Rev. 06/25

placeholder for batch/ stock no. sticker



CALIFORNIA PROPOSITION 65 WARNING

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit: www.P65Warnings.ca.gov





Slow-Release Cool Cell Treatment | Prevents Buildup of Inanimate Organic Materials

INGREDIENTS

Alkyl (60% C ₁₄₁ 30% C ₁₄₁ 5% C ₁₉₁ 5% C ₁₉₁ dimethyl benzyl ammonium chloride	16.0%
Alkyl (68% C _{1,2} 32% C _{1,2}) dimethyl ethyl benzyl ammonium chloride	
Other Ingredients	
TOTAL	100.0%

DANGER

KEEP OUT OF REACH OF CHILDREN







PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed, absorbed through the skin or inhaled. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wear protective eye gear (goggles or face shield), protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before drinking, eating, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. SEE SIDE PANEL FOR FIRST AID STATEMENTS.

FOR COMMERCIAL AND INDUSTRIAL USE

DIRECTIONS FOR USE

Remove from plastic bag, KEEP KNIT ENCLOSURE INTACT. In evaporative cooling system drain pans, hatchery roof-top air conditioner drip pans and other drains: Place on the surface of the pan away from the drain outflow, as close to the condensate source as possible. Do not allow product to block drain. For optimal performance, replace every 30 days.

Not for use in heat vaporizing or atomizing type vaporizer humidifiers.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently for 15–20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911, or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible, Call a poison control center or doctor for treatment advice. Have the container or label with you when calling or going for treatment. You may also contact 1.800.255.3924 for emergency treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric layage. Measures against circulatory shock. respiratory depression and convulsions may be needed.



Manufactured for:

Sterilex 111 Lake Front Drive Hunt Valley, MD 21030-2216

Call 1.800.511.1659 or 443.541.8800 for technical information. **NET CONTENTS: 26.4 LB GROSS COUNT: 24** Rev. 06/25

placeholder for batch/ stock no. sticker



CALIFORNIA PROPOSITION 65 WARNING

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information visit: www.P65Warnings.ca.gov